

Acequip Float Switch

Designed for durability and ease of installation, the Acequip Float Switch ensures accurate control over fluid levels in both industrial and residential settings. Its adjustable design facilitates easy installation and customisation for various tank depths, making it ideal for both industrial and residential uses.


The applications for the Acequip Float Switch include domestic household use, water bores, pressure boosting, pump protection and pump efficiency. It can be used in clean water, dirty water with heavy solids, turbulent water, etc.





Features

- ✓ Available in 5m, 10m, 20m, 30m and 50m PVC cable
- ✓ Maximum current of 8AMP
- ✓ Maximum power of 250V AC
- ✓ 3 wire for tank fill or tank empty
- ✓ Polypropylene float material
- ✓ Counterweight included
- ✓ Maximum operating temperature of +50°C
- ✓ 1 bar maximum depth
- ✓ -10°C – +60°C storage temperature
- ✓ +20° / -45° operating angle
- ✓ 234g counterweight
- ✓ Neoprene cable available in 10m or 20m



CONTACT OUR
SALES TEAM TODAY
1800 810 670


sales@southernpumping.com.au
www.southernpumping.com.au



**SOUTHERN
PUMPING**



Dimensions



CONTACT OUR
SALES TEAM TODAY
1800 810 670

sales@southernpumping.com.au
www.southernpumping.com.au

