



OUR PRODUCTS

Grinder BG Range

The BlueSelect GD Series delivers robust performance for demanding commercial sewage applications. Its stainless-steel motor housing ensures long-lasting corrosion resistance in harsh wastewater environments, while high-chrome cutting and grinding components provide exceptional hardness and wear resistance when handling solids, rags, and fibrous materials. A double-bearing shaft design enhances stability, reduces vibration, and extends service life—making the GD Series a reliable, high-durability solution for continuous heavy-duty operation.

- MODELS**
- ✓✓ BGM-1100-32-1
 - ✓✓ BGM-1100-32-3
 - ✓✓ BGM-1500-32-1
 - ✓✓ BGM-1500-32-3
 - ✓✓ BGM-2200-32-3
 - ✓✓ BGA-1100-32-1
 - ✓✓ BGA-1500-32-1




CODE BREAKDOWN				
BG	M/A	1100/1500/2200	32	1/3
BlueSelect Grinder	M = Manual	1100 = 1.1kW/1100W	Outlet size in mm	1 = 240V/1phase
	A = Automatic	1500 = 1.5kW/1500W		3 = 415V/3phase
			2200 = 2.2kW/2200W	



FEATURES:

- ✓ Stainless steel motor housing - Provides superior corrosion resistance and durability, making the pump well-suited for harsh or corrosive wastewater conditions
- ✓ High Chrome Grinding Mechanisms - The cutter and grinder components are manufactured from high-chrome alloys, delivering exceptional hardness and wear resistance—ideal for heavy commercial sewage where solids, rags, and fibrous materials are common
- ✓ -Double Bearing - A dual-bearing configuration ensures steadier shaft alignment, reduced vibration, and significantly longer service life, especially under continuous or high-load operation



CONTACT OUR
SALES TEAM TODAY
1800 810 670

sales@southernpumping.com.au
southernpumping.com.au



